

Product Catalogue 2023



The power
to move



Contents

About Compleo.....	4
Company profile.....	4
Vision & mission.....	5
Pioneers in the market.....	6
Innovation and technology leaders.....	6
Sustainable strategy.....	9
Market partners.....	9
Charging stations.....	10
eBOX.....	10
DUO.....	14
DUO ims.....	18
CITO 500.....	22
eTower 200.....	26
Software.....	30
eMOBILITY-Plattform.....	32
eOPERATE.....	34
ENTERPRISE.....	36

Company profile

Compleo was founded in 2009. Since then, the company has focused on developing and producing charging technology for electric vehicles.

Today, Compleo is a leading full-range provider of hardware and software solutions for electric mobility in Europe. Headquartered in Dortmund, Compleo supports business customers with charging stations, software solutions and associated services.

Compleo's extensive range of products and services not only enables customers to install and expand charging infrastructure, but also to operate it efficiently. In addition, Compleo provides convenient management of all EV charging processes.

Our vision

Our vision is to accelerate electric mobility as the most convenient and sustainable way to move forward for everyone.

Our mission

With our innovative EV charging technology we empower every customer, partner and employee to turn their energy into movement.

Pioneers in the market

Compleo has consistently paved the way for electromobility in Germany since the company was founded. Through its growth course in 2021, Compleo has been able to expand its leading position and acquire further first-mover companies.


With bundled expertise Compleo lastingly strengthens its innovative powers for the dynamic requirements of electric mobility. With innovative and open-backend AC and DC hardware that is ready for the demands of a dynamically growing market. And with a powerful and agnostic software platform, which enables a wide variety of use cases in electric mobility.

It is Compleo's vision to accelerate electric mobility as the most convenient and sustainable way to move forward for everyone in Europe. Compleo products make emission-free mobility possible.


Innovation and technology leaders

Compleo has been developing and manufacturing charging stations since 2009. In the early days, only AC charging stations were made. In 2015, Compleo launched its first DC charging stations on the market. In 2019, these became the first fast charging stations worldwide to be certified as calibration law-compliant.

Consistent research and development work with more than 170 patent families today secure the company's position as a technology leader in the market.

A man in a brown jacket is carrying a young child on his shoulders. They are in a forest with tall trees. The man is looking up and to the right, and the child is also looking in the same direction.

Accelerating electric mobility as the most convenient and sustainable way to move forward for everyone.

A woman with curly hair is pointing at a computer monitor while a man with a beard looks on. They are in an office setting.

Innovative technologies ensure that a charge point is far more than just a power socket.



Everyone can join us on our journey and invest in sustainable technology.

Electric mobility is a booming market, in which we offer you a partnership directly with the manufacturer.



Sustainable strategy

Compleo is pursuing a sustainable growth strategy: customer centricity and a focus on a strong product portfolio are the cornerstones. The strategy includes a product development shaped to the needs for charging electric cars and focusing on a comfortable user experience. The expansion of sales activities in Europe and additional investments in research and development are also key.

Market partners

Compleo offers an extensive range of products and services for customers and market partners, from large companies switching to electric mobility to medium sized businesses, commercial customers, trading companies and local authorities.

One of Compleo's focus areas is the collaboration with over 300 energy companies and municipal utilities. In addition, the company works closely with the electrical trade as a partner in expanding charging infrastructure.



eBOX

The eBOX is your future-proof charging solution for all electric vehicles since it comes with full networking functionality, a maximum of charging power and durable materials as standard.

- Charging with up to 22 kW AC
- Connectivity via WiFi, LAN, 4G
- Highly protective enclosure with IP55 rating
- Compliant with German calibration law and ready for metrological requirements
- Convenient single-hand operation
- Including onboard load management for local clusters
- Plug & Charge-ready (ISO15118)
- SIM card exchangeable for free choice of backend provider

Clever connectivity and high-quality design

Almost too beautiful to hide in the car park or underground garage: In addition to a high-quality design, the eBOX professional also offers maximum convenience thanks to one-hand operation and the large LED light ring. This gives the user immediate feedback on the charging process.



Smart charging at it's most compact

The eBOX is your innovative wall box with versatile connectivity options as well as accurate and transparent metering of charging processes.

Perfect for commercial operation

Due to a particularly high degree of protection against water and dust (IP 55), the eBOX can be used in a very wide range of locations, even outdoors without any problems. The wallbox can be connected to an OCPP backend via WLAN, LAN or 4G, depending on the respective location requirements.

Easily mounted anywhere and always in balance

Whether on the wall or on the parking lot, the eBOX can be mounted in almost any situation with its accessories. Thanks to its narrow footprint, it always finds the right place on walls and columns. One or two wallboxes can be mounted with the elegant ePOLEs. Cable holder and padlock included. The onboard load management optimally distributes the local grid capacity between several charging points.

Precise functionality – with any IT backend

The eBOX can be controlled from any IT backend. Ready to meet different metrological requirements it provides calibration law-compliant billing in Germany through the optional eSMARTMETER. You choose your backend. The SIM card is easy to insert and can also be replaced during operation whenever necessary.

Features of the eBOX

- ISO15118 ready
- RFID reader
- Includes eCHARGE+ app
- Coloured LED ring for an intuitive user experience
- DC residual current detection
- Optional eSMARTMETER
- Convenient single-hand operation
- NEU !** • Onboard load management without additional hardware
- Energy and load management via Modbus TCP/IP
- OCPP 1.6 JSON
- Communication via LAN, WLAN und 4G
- Optional compliant with German calibration law
- Type 2 charging connector
- Optional charging lead (6.5 m)
- eCLICK concept (e.g. for upgrades)
- NEU !** • Optional with anySIM for inserting or exchanging the SIM card
- Pole and wall mountable





DUO


The DUO is the pioneer for all situations. All components are already integrated into this all-in-one charging station. This saves installation and operating costs – year after year.

- Charging with up to 2x 22 kW AC
- LAN and 4G connectivity
- Compliant with German calibration law and ready for metrological requirements
- Power Rail technology to saving installation costs
- Convenient single-hand operation

The charging solution for pros

In addition maximum transparency for billing, an efficient installation and the running costs are of particular importance when it comes to charging stations for commercial use.

Easy handling and versatile activation options ensure a perfect charging experience for all users.



A pioneer for all situations

The DUO is all about versatility and robust operation.

Precise functionality – with any IT backend

The DUO can be controlled from any IT backend and provides calibration law-compliant metering in Germany via SAM module. With SAM technology, the user can monitor and check consumption without being connected to the IT backend.

More charging power, less construction work

Think bigger with the DUO fleet – incorporate more charging points, reduce the need for enlarging the grid capacity and use fewer resources. Up to now, a separate power line was required for each charging station. With the DUO fleet and the Compleo Power Rail system, up to 30 charging stations can be connected in series. This saves up to 50 % in construction costs.

Features of the DUO series



- Power Rail technology to saving installation costs
- Simple configuration via DUCTO web configuration tool
- RFID reader
- DC residual current detection
- Convenient single-hand operation
- Load management via Modbus TCP/IP
- OCPP 1.6 JSON
- Optional calibration law-compliant in Germany with SAM
- 3.5" display
- Type 2 charging connector
- Optional charging spiral lead (6.5 m)^{*1}
- Floor mountable
- Standard paint RAL 7016




DUO ims

The DUO ims was developed especially for being connected directly to the public distribution grid. All components are already integrated into this all-in-one charging station, reducing installation time and costs.

- Charging with up to 2x 22 kW AC
- LAN and 4G connectivity
- Compliant with German calibration law
- Convenient single-hand operation
- Conforms to VDE-AR 4100 (DUO ims plus except APZ)

Perfect for the city

The DUO ims is the optimal solution for operators of public charging infrastructure. The charging station is compatible with all types of public low-voltage distribution grids and thus helps saving on additional grid connection costs.



Likes being in the public eye

In the public sector, robust design, reliable operation and flexible payment options are particularly important.

Precise functionality – with any IT backend

The DUO ims can be controlled from any IT backend and provides calibration law-compliant metering via SAM module. With SAM technology, the user can monitor and check consumption without being connected to the IT backend.

Ready for all payment types

The Payment Terminal helps to operate publicly accessible charging stations in a transparent, simple and highly efficient manner. It can accept all common payment cards and methods, such as Girocard, Mastercard, Maestro, Visa, V-Pay, Apple Pay and Google Pay.

Features of the DUO ims series



- Pay via Payment Terminal
- RFID reader
- DC residual current detection
- Convenient single-hand operation
- Load management via Modbus TCP/IP
- OCPP 1.6 JSON
- Communication via LAN and 4G
- Calibration law-compliant in Germany with SAM
- 3.5" display
- Type 2 charging connector
- Floor mountable
- Standard paint RAL 7016



CITO 500

The CITO 500 makes it possible to implement rapid charging even at less powerful grid connections. In addition, SAM technology provides calibration law-compliant metering in Germany and maximum transparency for metrological requirements.

- Charging with up to 22 kW AC and 50 kW DC
- LAN and 4G connectivity
- Compliant with German calibration law
- Convenient single-hand operation
- Charging with both AC and DC
- Space-saving installation (e.g. right next to the wall)

More rapid charging, transparent billing

Apart from ultra-rapid charging, charging with 50 kW is becoming ever more relevant, be it on the supermarket car park or in the bus depot.

At less powerful grid connections in particular, vehicles can be charged with up to 50 kW DC with the CITO 500, regardless of their AC charging capacity, which is usually limited to 11 kW.

Fast and precise – both are possible at the same time

The CITO 500 enables charging of two vehicles with AC and DC in parallel in a very small space.

Ready for all payment types

The Payment Terminal helps to operate publicly accessible charging stations in a transparent, simple and highly efficient manner. It can accept all common payment cards and methods, such as Girocard, Mastercard, Maestro, Visa, V-Pay, Apple Pay and Google Pay.

Precise functionality – with any IT backend

The CITO 500 can be controlled from any IT backend and provides maximum transparency for metrological requirements via SAM module. With SAM technology, the user can monitor and check consumption without being connected to the IT backend.

Powerful performance – quietly

The CITO 500 is particularly quiet in all operating modes, making it suitable for installation in residential areas without causing any problems.



Features of the CITO 500



- Optional payment via Payment Terminal
- RFID reader
- DC residual current detection
- Convenient single-hand operation
- Load management via Modbus TCP/IP
- OCPP 1.6 JSON
- Communication via LAN and 4G
- Calibration law-compliant in Germany with SAM
- 4.3" display
- Type 2 charging connector
 - AC: Charging with up to 22 kW
- CCS charging connector
 - DC: Charging with up to 50 kW
- Floor mountable
- Standard paint RAL 7016



eTower 200

Powerful and reliable: the eTower is your future-proof HPC solution. It is particularly flexible to install and at the same time very easy to handle and barrier-free.

- Charging of two vehicles with a total of up to 200 kW DC
- LED state of charge indication, high visibility from afar
- Connectivity via LAN and 4G
- Compliant with German calibration law and ready for metrological requirements
- Particularly low noise emission < 55 dB
- Flexible installation options

Modular structure: small steps pay off

With seven power modules, the eTower can respond flexibly to charging needs. Thus, even with two vehicles connected, the power can be allocated dynamically in 29-kW steps. Higher charging speed for the vehicles, more kilowatt hours output.



High power, greater flexibility

eTower 200 takes ultrafast charging to the next level. Packed with technology that makes it easier for installers, operators and users.

Intuitive and barrier-free handling

Charging the way it should be, without any unanswered questions. With its LED indicator, the eTower informs the user about the charging status of the connected vehicles from afar. The intuitive user guidance at the charging station helps the user step by step. With the integrated payment terminal, payment becomes as easy as in the supermarket.

Smallest service area in 200 kW all-in-one class

The eTower supports compact installation and efficient use of space with the smallest service area in its class. With a depth of only 450 mm and front access for service, the eTower can be installed and operated directly in front of walls allowing placement in tighter spaces.

Features of the eTower 200



- Modular structure: Flexible power distribution between the charging points
- Over 96 % efficiency
- Includes Payment Terminal
- LED state of charge indication, high visibility from afar
- Bright all-weather display and ambient lighting
- Billing compliant with the German calibration law via OCMF and SAM storage and display module
- Particularly low noise emission with < 55 dB
- Minimum energy consumption in standby mode
- Easy prewiring on-site with the Wire Hub and installation via forklift mechanism
- Front access
- Communication via LAN and 4G
- OCPP 1.6J
- ISO 15118-ready
- Energy and load management via Modbus TCP/IP
- Remote service access



eMobility platform

Loads of kilowatt hours and a large number of charging points – professionally managed with Compleo software. The Compleo eMobility platform is the digital foundation to accommodate different business models. It provides comprehensive management functionality. In addition, proprietary systems can be networked via API.

eOPERATE

eOPERATE is the powerful backbone for your business model in the public sector. Manage and activate charging points and invoice for charging sessions with our digital eMobility services. Naturally, our platform complies with the highest data security standards.

ENTERPRISE

ENTERPRISE connects your fleet systems to the world of eMobility. Control, activation or billing – ENTERPRISE puts professional administration and control via APIs centre stage.

Two product worlds, one purpose: Professional IT services for eMobility

Depending on your business model, you choose between eOPERATE and ENTERPRISE.

eOPERATE



- eMARKETPLACE CPO
- eMARKETPLACE MSP
- eCONNECT
- eLOADMANAGEMENT
- eCHARGE+ app

ENTERPRISE




- ERP interface
- Tariff management
- Fleet Billing
- Direct payment
- Notification centre

Features of the eMobility platform

eOPERATE



Compatible with a multitude of charging stations via OCPP



Stable with large transaction volumes



Complies with the highest data protection standards



ENTERPRISE



Compatible with a multitude of charging stations via OCPP



Highly flexible




Very user friendly



eOPERATE

The cockpit for your eMobility business

The dashboard of eOPERATE provides the professional and centralised interface for managing your charging infrastructure. With the ability to grant different access rights to different users and user groups, your company takes full control of your charging stations.



eMARKETPLACE CPO

Easy marketing of charging points without operational costs

For every newly installed charging station, you need to know how customers will find it, how they can pay for their charging sessions and how the revenue generated there gets to you. We have the answers.

- Marketing of your charge points at the touch of a button
- Enables direct payment for users as well as charging via MSP offers
- Calibration law-compliant billing data in Germany and maximum transparency for metrological requirements



eMARKETPLACE MSP

Mobilise your customers

Driving an electric vehicle frequently requires charging while on the road. Offer your customers access to the extensive eMARKETPLACE charging network, including our free smartphone app.

- Set rates and create charging products at the touch of a button
- Individual pricing
- Billing data compliant with the German calibration law



eCONNECT

Integrate interfaces easily

Individualised systems are becoming increasingly important in the electric mobility sector. Customised integration of IT systems via API is the perfect solution.

- Build customised solutions with eCONNECT
- Detailed documentation available
- Stable with large transaction volumes



eLOADMANAGEMENT

Keeping an up-to-date overview of the load situation

More vehicles, more charging points, an even larger grid connection? With eLOADMANAGEMENT, more vehicles can be charged at the same grid connection without overloading it.

- Group charging points online
- Set maximum load – can be adjusted online at any time
- Choose between different load strategies



eCHARGE+ App

Discover the world in an electric vehicle

Electric mobility is all about connectivity. With the eCHARGE+ app you control and share your own, private charging station and analyse charging data – without incurring any extra running costs. You are not at home? No problem – you can use the eCHARGE+ app when out and about as well.

- Can be used with any eBOX
- Export charging data, e.g. for reimbursement of expenses
- Find and activate charge points, pay for charging sessions directly

ENTERPRISE

Your systems will remain your systems


In many companies, business operation relies on existing IT systems. Compleo ENTERPRISE can thus be integrated with all functionalities via APIs and provides seamless access through existing and familiar user interfaces.



ERP Interface Flexible, secure, scalable

In many companies, internal ERP systems are also used for electric mobility aspects. In order to avoid parallel operation, ENTERPRISE, can be integrated directly via API.

- All functions of the platform accessible via API
- Detailed documentation available
- Quick integration via REST



Tariff management Tariff autonomy

Different user groups and sites are increasingly requiring a variety of tariffs and billing models. Tariff management provides the necessary flexibility in this context.

- Flexible setting of tariffs
- Clear representation in dashboard
- Compliant with German calibration law and maximum transparency for metrological requirements



Fleet Billing Individualised billing data for your company

Fleet accounting in the age of electric mobility poses new challenges and needs to run just as smoothly as before.

- Automated generation of documents
- Monthly invoices sent by e-mail
- Customisable documents



Direct Payment Charging for all

Every EV driver should be able to activate charging stations and pay for charging sessions spontaneously, without having to sign a contract first.

- Transparent billing
- Works from any smartphone
- Automatic payout




Notification centre Every heartbeat counts

With the increasing utilisation of your charging points, monitored and reliable operation has become more important than ever. Proactive notifications help to keep a full overview.

- Push notifications by user
- Can be configured for a variety of events
- Each user can manage their notifications




Locations & Contact information

 **Compleo Charging Solutions GmbH & Co. KG**
Ezzestraße 8
44379 Dortmund, Germany


+49 231 53492370
info@compleo-cs.com
compleo-charging.com

Compleo Charging Software GmbH
Ezzestraße 8
44379 Dortmund, Germany


+49 231 53492370
help@emobility.software.com
emobility.software

 **Compleo Charging Solutions UK Ltd.**
The Lambourn, Wyndyke Furlong
Abingdon, OX14 1UJ, United Kingdom


+44 1235 355189
hello.uk@compleo-cs.com
compleocharging.co.uk

 **Compleo Charging Solutions AG Schweiz**
Hardturmstrasse 161
8005 Zürich, Switzerland

info.ch@compleo-cs.com
compleo-charging.ch

 **Compleo CS Nordic AB**
Derbyvägen 4
212 35 Malmö, Sweden

+46 40 6850500
info.sweden@compleo-cs.com
compleocs.se

 **Compleo Charging Solutions GmbH**
Speisinger Straße 25/12
1130 Wien, Austria

info@compleo-cs.at
compleo.at



The power to move



Compleo Charging Solutions GmbH & Co. KG

Ezzestraße 8
44379 Dortmund
Germany

info@compleo-cs.com
compleo-charging.com

©2023 Compleo. All rights reserved.

This document may not be copied or reproduced in any form or by any means, in whole or in part, without written permission. All illustrations in this document serve only as examples and may differ from the delivered product. All information in this document is subject to change without notice and does not represent a commitment on the part of the manufacturer.

Technical changes and errors excepted.